

Silver[®]

TIME WELL SPENT



SILVER-BOATS

In the early 1990s five ambitious men decided to fulfill their lifelong dream and began designing and manufacturing motorboats, which in their opinion best suited the challenging conditions in Northern Europe. They established their own company and already the very first boat they made won an award for best trolling boat. Since then the model range has developed at a fast pace, and the growth sees no end even to this day.

Nowadays Silver boats are quite a familiar sight on Finnish waters, and increasingly also on international waters. That is however not a big surprise, since the Silver boats are a safe choice and

in a class of their own: a unique combination of durability, practicality and design.

Our model range consists of three different series; the X-range stands for pure aluminum boats, the Y-range for so called hybrid AluFibre™ models whose hulls are of aluminum and interiors of fiberglass and the Z-range includes boat models in pure fiberglass.

**PROUDLY
MADE IN
FINLAND**

All Silver boats are designed and manufactured in Finland by passionate boat builders. We are extremely proud of our Finnish heritage and always aim to develop boats that suit a wide variety of people, both for the rough conditions in northern Europe and for leisurely rides on the central European lakes.

X-range



Durable pure aluminium boats for active boaters and fishing.

Y-range



Versatile AluFibre™ models with an aluminium hull and fiberglass interior.

Z-range



New leisure boats fully made of fiberglass. Hulls with Petestep® technology.



SHARK BR^X

STANDARD EQUIPMENT

- 12 V electrical outlet
- Aft ladder
- Aluminum deck
- Automatic bilge pump
- Bow eye security loop, grade 3
- Boxes for anchor and mooring lines in bow and stern
- Cup holder
- Cushion set, Aft
- Door between consoles
- Driver seat with folding front
- Fire extinguisher
- Foldable seats Aft (2 pcs)
- Fuel filter
- Hydraulic steering
- Integrated fuel tank 130L
- Navigation lights
- Offshore seat
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Self-bailing open deck
- Sensor frame + slide rail for sensor frame
- Side rails HST
- Swimming platform
- Tow bar for water skiing
- Trailer lugs
- Trolling control

ACCESSORIES

- 2-battery system
- A-railing bow
- Armrest
- CHIRP RV-100 3D RealVision -transducer
- Cushions for raising platform
- Cushions front
- Downrigger holder
- Fastening rack for bow engine
- Fishing rod holder with lower/middle/upper mounting
- Foot stand, aluminium thread plates
- Harbour canopy
- Livewell incl. cleaning hose
- Raising platform for bow walkway
- Seat leg, adjustable 39-52 cm
- Stern canopy
- Stern canopy back wall
- Targa arch
- Trim tabs
- Windscreen wiper



TECHNICAL DETAILS

Length	615 cm
Width	217 cm
Weight	710 kg
Draught	0,30 m
Fuel tank	130 l
Engine	80-115 hp
Number of passengers.....	7
CE-approval.....	C
Deadrise angle	17,5°
Windshield	Glass
Unsinkable	✓




EAGLE BR^X

STANDARD EQUIPMENT

- 12 V electrical outlet
- Aft ladder
- Aluminum deck
- Automatic bilge pump
- Bow eye security loop, grade 3
- Boxes for anchor and mooring lines in bow and stern
- Cup holder
- Cushion set, Aft
- Door between consoles
- Fire extinguisher
- Foldable seats Aft (2 pcs)
- Footrest alum. plate
- Fuel filter
- Hydraulic steering
- Integrated fuel tank 140L
- Navigation lights
- Offshore seats
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Self-bailing open deck
- Sensor frame + slide rail for sensor frame
- Side rails HST
- Swimming platform
- Tow bar for water skiing
- Trailer lugs
- Trim tabs
- Trolling control
- Windscreen wiper

ACCESSORIES

- 2-battery system
- A-railing bow
- Armrest
- Audio device with Bluetooth
- CHIRP RV-100 3D RealVision -transducer
- Cushions for raising platform
- Cushions front
- Downrigger holder
- Fishing rod holder with lower/middle/upper mounting
- Flagpole with fastenings
- Flap table
- Foot stand, aluminium thread plates
- Harbour canopy
- Livewell incl. cleaning hose
- Mounting rack for bow engine
- Raising platform for bow walkway
- Seat leg, adjustable 39-52 cm
- Second row of seats
- Sensor frame
- Stern canopy
- Stern canopy back wall
- Targa arch
- Windscreen wiper




TECHNICAL DETAILS

Length	640 cm
Width	225 cm
Weight	860 kg
Draught	0,37 m
Fuel tank	140 l
Engine	115-150 hp
Number of passengers.....	8
CE-approval.....	C
Deadrise angle	20°
Windshield	Glass
Unsinkable	✓



NEW!

BEAVER BR



STANDARD EQUIPMENT

- Bow eye security loop, grade 3
- Construction according to CE standards and self-bailing open deck
- Door between consoles
- Electric, automatic bilge pump
- Fire extinguisher
- Navigations lights
- NFB steering
- Offshore seats
- Power outlet 12 V
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Space for two separate fuel tanks (25 l)
- Storage compartments for small items
- Swimming/boarding ladder, SS
- Trailer lugs
- Trolling Control

ACCESSORIES

- Aluminium floor
- Bow railings to both sides
- CHIRP RV-100 3D RealVision -transducer
- Cup holder, RST
- Cushions, stern
- Downrigger holder
- Extra handle for downrigger holder
- Fastening rack for bow engine
- Fishing rod holder with lower/middle/upper mounting
- Harbour canopy
- Insulated and detachable Igloo box, incl. cushion
- Seat cushion for bow seat
- Stern canopy
- Water skiing bracket

TECHNICAL DETAILS

- Length 480 cm
- Width 195 cm
- Weight 440 kg
- Draught 0,25 m
- Fuel tank **Separate (2 x 25 l)**
- Engine **40-50 hp**
- Number of passengers **5**
- CE-approval **C**
- Deadrise angle **18°**
- Windshield **Acryl**
- Unsinkable **✓**

FOX AVANT




FOX AVANT

STANDARD EQUIPMENT

- 12 V electrical outlet
- Aluminum deck
- Automatic bilge pump
- Bow eye security loop, grade 3
- Boxes for anchor and mooring lines in bow and stern
- Canopy storage
- Fire extinguisher
- Navigation lights
- NFB Steering
- Open rope box in the bow
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Seat cushions for stern bench
- Self-bailing open deck
- Sensor frame + slide rail for sensor frame
- Space for two separate fuel tanks (25l)
- Spacious storage space in the seat in front of the steering console
- Storage compartments for small items
- Swimming/boarding ladder
- Trailer lugs in bow and stern
- Trolling Control (for Honda outboards BF40-BF150)

ACCESSORIES

- Abloy -lock set
- Aluminum interior deck (anodized & colored)
- Bow railings
- CHIRP RV-100 3D RealVision -transducer
- Console hood
- Cup holder, RST
- Cushions, bow
- Downrigger holder
- Extra handle for downrigger holder
- Harbour cover
- Mounting rack for bow engine
- Stern canopy
- Water skiing bracket



TECHNICAL DETAILS

- Length495 cm
- Width195 cm
- Weightapprox. 510 kg
- Draught 0,31 m
- Fuel tank Separate (2 x 25 l)
- Engine 40-50 hp
- Number of passengers..... 5
- CE-approval..... C
- Deadrise angle17,5°
- WindshieldAcryl
- Unsinkable ✓

FOX BR




FOX BR

STANDARD EQUIPMENT

- 12 V electrical outlet
- Aluminum deck
- Automatic bilge pump
- Bow eye security loop, grade 3
- Bow railings
- Canopy storage
- Door between consoles
- Fire extinguisher
- Navigation lights
- NFB Steering
- Offshore seats
- Open rope box in the bow
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Seat cushions for stern bench
- Self-bailing open deck
- Space for two separate fuel tanks (25l)
- Spacious storage space in the seat in front of the steering console
- Storage compartments for small items
- Swimming/boarding ladder
- Trailer lugs in bow and stern
- Transom sensor frame + slide rail for sensor frame
- Trolling Control (for Honda outboards BF40-BF150)

ACCESSORIES

- Abloy -lock set
- Aluminum interior deck (anodized & colored)
- CHIRP RV-100 3D RealVision -transducer
- Cup holder, RST
- Cushions, bow
- Downrigger holder
- Extra handle for downrigger holder
- Harbour cover
- Mounting rack for bow engine
- Raymarine Axiom 12"
- Seat leg, adjustable 39-52 cm
- Stern canopy
- Sunbed, bow
- Waterskiing bracket



TECHNICAL DETAILS

Length	495 cm
Width	195 cm
Weight.....	540 kg
Draught.....	0,31 m
Fuel tank	Separate (2 x 25 l)
Engine	40-60 hp
Number of passengers.....	5
CE-approval.....	C
Deadrise angle	17,5°
Windshield	Acryl
Unsinkable	✓




WOLF BR

STANDARD EQUIPMENT

- 12 V electrical outlet
- Automatic bilge pump
- Bow eye security loop, grade 3
- Bow railings
- Boxes for anchor and mooring lines in bow and stern
- Canopy storage
- Comfort seat
- Cup holder
- Door between consoles
- Fire extinguisher
- Navigation lights
- NFB Steering
- Place for coolbox
- Place for musicplayer
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Seat cushions for stern bench
- Self-bailing open deck
- Space for two separate fuel tanks (25l)
- Storage compartments for small items
- Swimming/boarding ladder
- Trailer lugs in bow and stern
- Transom sensor frame + slide rail for sensor frame
- Trolling Control (for Honda outboards BF40-BF150)
- White Gelcoat deck

ACCESSORIES

- Aluminium floor
- Aluminum interior deck (anodized & colored)
- CHIRP RV-100 3D RealVision -transducer
- Cushions, bow
- Downrigger holder
- Extra handle for downrigger holder
- Fasteners for fishing arch
- Fishing rod holder with lower/middle/upper mounting
- Foot stand
- Harbour canopy
- Hydraulic steering, factory installation
- Insulated and detachable Igloo box, incl. cushion
- Mounting rack for bow engine
- Removable fastening eye
- Sitting cushion for bow seat
- Stern canopy, 2-parts
- Swimming platform, folding
- Targa arch
- Trim tabs
- Water ski bracket



TECHNICAL DETAILS

Length	510 cm
Width	198 cm
Weight	550 kg
Draught	0,32 m
Fuel tank	Separate (2 x 25 l)
Engine	50-80 hv*
Number of passengers.....	6
CE-approval.....	C
Deadrise angle	18,2°
Windshield	Acryl
Unsinkable	✓




HAWK BR

STANDARD EQUIPMENT

- 12 V electrical outlet
- Aluminum interior deck (grey alum.)
- Automatic bilge pump
- Bow eye security loop, grade 3
- Construction according to CE standards and self-bailing open deck
- Cup holder
- Door between consoles
- Fire extinguisher
- Fuel filter
- Fuel tank 115 l
- Fully padded comfort seats, driver seat with flip-up front
- Hydraulic steering
- Navigation lights
- Open rope box in the bow
- Opening rear seat with large storage space
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Seat cushions for stern bench
- Separate rope boxes in the rear swimming platforms
- Side railings
- Slide rail for sensor frame
- Swimming/boarding ladder
- Trailer lugs in bow and stern
- Trolling Control
- Windshield tempered glass

ACCESSORIES

- Abloy -lock set
- Aluminium deck plates
- Antifouling bottom
- Audio player with Bluetooth
- Bottom fenderlist
- CHIRP RV-100 3D RealVision -transducer
- Cup holder, RST
- Cushions, bow
- Downrigger holder
- Extra handle for downrigger holder
- Fishing rod holder with lower/middle/upper mounting
- Harbor cover
- Mounting rack for bow engine
- Raymarine Axiom 12"
- Removable fastening eye
- Seat leg, adjustable 39-52 cm
- Stern canopy
- Sunbed, bow
- Table with a detachable leg
- Trim tabs
- Water ski bracket
- Windscreen wiper



TECHNICAL DETAILS

Length	570 cm
Width	216 cm
Weight	665 kg
Draught	0,30 m
Fuel tank	115 l
Engine	60-100 hp
Number of passengers.....	7
CE-approval.....	C
Deadrise angle	17,8°
Windshield	Glass/Acryl
Unsinkable	✓




SHARK BR

STANDARD EQUIPMENT

- 12 V electrical outlet
- Automatic bilge pump
- Bow and side railings
- Bow eye security loop, grade 3
- Boxes for anchor and mooring lines in bow and stern
- Canopy storage
- Comfort seat
- Cup holder
- Door between consoles
- Fire extinguisher
- Hydraulic steering
- Navigation lights
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Seat cushions for stern bench
- Self-bailing open deck
- Space for a coolbox
- Space for audio player
- Storage compartments for small items
- Swimming ladder
- Swimming platform
- Trailer lugs in bow and stern
- Transom sensor frame + slide rail for sensor frame
- Trolling control
- White gelcoat deck

ACCESSORIES

- Aluminium floor
- Aluminum interior deck (anodized & colored)
- CHIRP RV-100 3D RealVision -transducer
- Cushions, bow
- Downrigger holder
- Extra handle for downrigger holder
- Fasteners for fishing arch
- Fastening rack for bow engine
- Fishing rod holder with lower/middle/upper mounting
- Foot stand
- Harbour canopy
- Insulated and detachable Igloo box, incl. cushion
- Removable fastening eye
- Seat leg, adjustable 39-52 cm
- Stern canopy, 2-parts
- Targa arch
- Trim tabs
- Water ski bracket
- Windscreen wiper



TECHNICAL DETAILS

Length	610 cm
Width	217 cm
Weight	725 kg
Draught	0,30 m
Fuel tank	130 l
Engine	80-115 hp
Number of passengers.....	7
CE-approval.....	C
Deadrise angle	17,5°
Windshield	Glass
Unsinkable	✓




EAGLE BR

STANDARD EQUIPMENT

- 12 V electrical outlet
- Automatic bilge pump
- Bow and side railings
- Bow eye security loop, grade 3
- Boxes for anchor and mooring lines in bow and stern
- Canopy storage
- Comfort seat
- Cup holder
- Door between consoles
- Fire extinguisher
- Footrest for the driver and co-pilot
- Hydraulic steering
- Integrated sunbed in stern
- Navigation lights
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Seat cushions for stern bench
- Self-bailing open deck
- Space for audio player
- Stern canopy
- Storage compartments for small items
- Swimming ladder
- Swimming platform
- Trailer lugs in bow and stern
- Transom sensor frame + slide rail for sensor frame
- Trim tabs (Ultra joystick)
- Trolling Control
- White gelcoat deck
- Windscreen wiper for driver

ACCESSORIES

- Aluminium floor
- Aluminum interior deck (anodized & colored)
- Armrest
- Audio device with Bluetooth
- Carpet set for floor
- CHIRP RV-100 3D RealVision -transducer
- Cushions, bow
- Downrigger holder
- Fishing rod holder with lower/middle/upper mounting
- Flagpole with fastenings
- Flap table
- Harbour canopy
- Laminated floor, grey
- Mounting rack for bow engine
- Refrigerator with pullout drawers, 20 liters
- Seat leg, adjustable 39-52 cm
- Table with a detachable leg
- Water ski bracket
- Wide bench seats with foldable back rests (SB & port side)



TECHNICAL DETAILS


Length	640 cm
Width	225 cm
Weight	860 kg
Draught	0,37 m
Fuel tank	140 l
Engine	115-150 hp
Number of passengers.....	8
CE-approval.....	C
Deadrise angle	20°
Windshield	Glass
Unsinkable	✓



2020



petestep®



TIGER BR^Z

STANDARD EQUIPMENT

- 12 V electrical outlet
- Abloy locks for the stern bench
- Acid-proof railings and cleats
- Automatic bilge pump
- Bow bumper
- Bow railings
- Boxes for anchor and mooring lines in bow and stern
- Composite teak deck (open are deck, swimming platforms)
- Cup holders (2 pcs)
- Decked storage compartments for fenders (2 pcs)
- Fenders with fasteners (4 pcs)
- Fire extinguisher
- Gas springs for the covers of the stern bench
- Hydraulic steering (Sea Star)
- Navigation lights
- Possibility to add a pantry in the co-pilot's console
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Stern canopy
- Sunbed
- Swimming ladder
- Swimming platform
- Table for the aft deck + sunbed
- Trailer lugs in bow
- Trim tabs (Bennett)
- U-bolt in the bow (safety class 3 approved)
- Windscreen wipers (2 pcs)

ACCESSORIES

- Antifouling
- Bow cover
- Cushions, bow
- Dual battery system
- Fresh water system
- Fusion MS-RA70N player with two speakers
- Gas stove
- Harbour cover
- Outboard installation
- Raymarine 12 RV chart plotter upgrade
- Raymarine RV-100 echo sensor upgrade
- Transportation cover
- Waeco CD30 fridge
- Waterski tow bar
- Webasto Air Top 2000 ST heater
- Zaurac bow light

TECHNICAL DETAILS

- Length 606 cm
- Width 236 cm
- Weight approx. 1150 kg
- Draught 0,4 m
- Fuel tank 107 l
- Engine 115-150 hp
- Number of passengers 8
- CE-approval C
- Deadrise angle 19°
- Windshield Glass
- Hull Petestep®



2020



petestep®

TIGER DC^Z



STANDARD EQUIPMENT

- 12 V electrical outlet in cabin, USB in steering console
- Abloy locks for the stern bench
- Acid-proof railings and cleats
- Automatic bilge pump
- Bow bumper
- Bow railings
- Boxes for anchor and mooring lines in bow and stern
- Cabin frame windows
- Carpet and cushions for the cabin
- Composite teak deck (open are deck, swimming platforms)
- Cup holders (2 pcs)
- Decked storage compartments for fenders (2 pcs)
- Fenders with fasteners (4 pcs)
- Fire extinguisher
- Gas springs for the covers of the stern bench
- Hydraulic steering (Sea Star)
- Integrated boarding ladder in the bow
- Lockable cabin door
- Navigation lights
- Possibility to add a pantry in the co-pilot's console
- Raymarine Axiom 9" chart plotter with CPT-S-transducer and NMEA2000 network
- Stern canopy
- Swimming ladder
- Swimming platform
- Table for the aft deck + sunbed
- Trailer lugs in bow
- Trim tabs (Bennett)
- U-bolt in the bow (safety class 3 approved)
- Windscreen wipers (2 pcs)

ACCESSORIES

- Antifouling
- Bow cover
- Cushions, bow
- Dual battery system
- Fresh water system
- Fusion MS-RA70N player with two speakers
- Gas stove
- Harbour cover
- Outboard installation
- Raymarine 12 RV chart plotter upgrade
- Raymarine RV-100 echo sensor upgrade
- Transportation cover
- Waeco CD30 fridge
- Waterski tow bar
- Webasto Air Top 2000 ST heater
- Zaurac bow light

TECHNICAL DETAILS

- Length 606 cm
- Width 236 cm
- Weight approx. 1150 kg
- Draught 0,4 m
- Fuel tank 107 l
- Engine 115-150 hp
- Number of passengers 8
- CE-approval C
- Deadrise angle 19°
- Windshield Glass
- Hull Petestep®



NEW!

petestep®

VIPER DC^Z

STANDARD EQUIPMENT

- 12 V power outlet
- 2-seated driver's swingback
- Abloy locks for the stern bench
- Audio player (Fusion MS-RA70N) + 4 loudspeakers
- Boarding ladder in the bow
- Bow bumper
- Boxes for anchor and mooring lines in bow and stern
- Composite teak deck (bow deck, open area deck, swimming platforms)
- Cup holders (2 pcs)
- Decked fender compartments (2 pcs)
- Dual battery system
- Electric bilge pump
- Electric sea water toilet
- Fire extinguisher 2 kg
- Fuel filter
- Hydraulic steering
- LED cabin lights
- LED running light (Zaurac 4-30 Hybrid)
- LED spotlight in the bow
- Light pole
- Lockable cabin door
- Nav pack (Raymarine Axiom 9 RV + CPT-S sonar transducer)
- Navigation lights
- Stainless steel railings, cleats and swimming ladder
- Stern canopy and supports for the canopy arch
- Storage rack next to the driver
- Storage shelf in the cabin
- Storage space underneath the driver's seat
- Table for the aft deck + sunbed
- Trailer lug/loop in the bow (for boat trailer)
- U-bolt in the bow (safety class 3 approved)
- Windscreen blower
- Windscreen wipers (2 pcs)

ACCESSORIES

- Anchor winch Aft
- Antifouling
- Bow anchor winch
- Bow thruster
- Fresh water system
- Fusion MS-RA70N player with two speakers
- Gas stove
- Harbour cover
- Power steering
- Raymarine 12 RV chart plotter upgrade
- Raymarine RV-100 echo sensor upgrade
- Shore power system
- Transportation cover
- Waterski tow bar
- Webasto Air Top 2000 ST heater



TECHNICAL DETAILS

Length	672 cm
Width	242 cm
Weight	1 350 kg
Draught	0.45 m
Fuel tank	140 l
Engine	150–300 hp
Number of passengers.....	8
CE-approval.....	C
Deadrise angle	19,5°
Windshield	Glass
Hull	Petestep®



RAPTOR DC^Z

petestep®

STANDARD EQUIPMENT

- 12 V power outlet x 3 and USB outlet
- 2-seated driver's swingback seat
- 3-way stern canopy and supports for the canopy arch
- Abloy locks for the stern bench
- Acid-proof railings and cleats
- Audio player (Fusion MS-RA70N) + 4 loudspeakers
- Boarding ladder in the bow
- Bow bumper
- Bow railings
- Bow thruster Side-Power SE30 + remote steering device
- Boxes for anchor and mooring lines in bow and stern
- Cabin frame windows (2/7 are possible to open)
- Carpet and cushions for the cabin
- Composite teak deck (bow deck, open area deck, swimming platforms)
- Cup holders (2 pcs)
- Decked storage compartments for fenders (2 pcs)
- Defogging system for the driver
- Dual battery system
- Electric bilge pump
- Electric sea water toilet
- Fenders with fasteners (4 pcs)
- Fire extinguisher 2 kg
- Fridge with freezer compartment (48 l)
- Fuel filter
- Fuel tank 260 liters
- Gas springs for the covers of the stern bench and swimming platform
- Gas stove with two burners
- Hydraulic steering (Sea Star 1,4/ easy steering and tilt-wheel)
- Large storage space underneath the cabin's double bed (cover with gas springs)
- LED cabin lights
- LED deck lights
- LED running light (Zaurac 4-30 Hybrid)
- LED spotlight in the bow
- Light pole
- Lockable cabin door
- Nav pack (Raymarine Axiom 9 RV + CPT-S sonar transducer)
- Navigation lights
- Pressurized water system (shower, pantry and toilet faucets)
- Space for a separate tablet on the instrument panel
- Storage rack next to the driver
- Storage shelf in the cabin
- Storage space underneath the driver's seat
- Table for the aft deck + sunbed
- Tow bar for water skiing
- Trailer lugs in bow
- U-bolt in the bow (safety class 3 approved)
- Windscreen wipers (2 pcs)
- Zipwake trim-control system

ACCESSORIES

- Anchor winch Aft
- Antifouling
- Bow anchor winch
- Canopy curtain, blackout
- Harbour cover
- Power steering
- Raymarine 12 RV chart plotter upgrade
- Raymarine RV-100 echo sensor upgrade
- Shore power system
- Solar panels
- Transportation cover
- Webasto Air Top 2000 ST heater




TECHNICAL DETAILS

Length	805 cm
Width	276 cm
Weight	approx. 2 150 kg
Draught	0,5 m
Fuel tank	260 l
Engine	250–350 hp
Number of passengers	10
CE-approval	C
Deadrise angle	19,5°
Windshield	Glass
Hull	Petestep®

Silver[®]
TIME WELL SPENT — SINCE 1991

SILVERBOATS.COM

 SilverVeneet  silverboats_official



**PROUDLY
MADE  IN
FINLAND**

Due to continues product development Silver withholds the right to changes without prior notice. Boats in pictures may have extra equipment and differ from standard version.


**OTTO
BRANDT**
since 1905